BTLabs

Report #: IF-824-QSA-TR006-BTL2608-05

Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 3/10/2026
Date Tested: 3/7/2026
Customer: Finnrick
Testing material: CJC-1295 NO DAC
Lot Number: NSN32SP
BT Sample ID: 005000039180515
Labeled Peptide Content/Potency: 5 mg
Storage: R.T.
Visual Description: small clear vial: white sample, white label, silver crimp, white plastic cap.
Labeled as: CJC-1295 NO DAC
Manufacturer: n/a
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	96.8 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of CJC-1295 NO DAC with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.7 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 5 mg	4.3 mg (85.7 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	4.3 : 92.5 mg (1:21.6)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS

Digitally signed by Andrea Castro, AS
DN: OU=BTLabs, O=BioTools Inc, CN="Andrea Castro, AS", E=acastro@biotools.us
Reason: I am approving this document
Location:
Date: 2026.02.24 18:36:37 -05'00'
Foxit PDF Reader Version: 2025.1.0

Andrea Castro, AS
Scientist-I
BTLabs

Verna Zheng, AS

Digitally signed by Verna Zheng, AS
DN: CN="Verna Zheng, AS", E=vzheng@biotools.us
Reason: I am the author of this document
Location:
Date: 2026.02.24 18:38:36 -05'00'
Foxit PDF Reader Version: 2025.1.0

Verna Zheng, AS
Scientist-I
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com

BTLabs

Report #:
IF-824-QSA-TR006-BTL2608-05

Page 2 of 2

Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: CJC-1295 NO DAC Lot NSN32SP



HPLC Purity and Potency Assay @ 280 nm: CJC-1295 NO DAC Lot NSN32SP



CJC-1295 NO DAC Lot NSN32SP @ 280 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	7.021	217.2

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com